

SCANIA Truck

Bodyparts Special



- Lighting
- Bodywork
- Mirrors



EUROPART – Europe's No. 1 for truck, trailer, van and bus spare parts.

The vehicle descriptions and engine types serve as guidance during identification of the precise vehicle application*. To identify a part - specific to your vehicle - please contact your EUROPART subsidiary with the complete Vehicle Identification Number (VIN, see page 3) or use the vehicle part search in our EUROPART Workshop Online System EWOS (www.ewos.net).

A blue truck is shown from a front-three-quarter view. A red line is drawn across the front of the truck, starting from the left side of the frame and ending at the right side. The line is positioned horizontally, passing through the front of the truck's body and the front wheel area. The truck has a blue cab and a black bumper. The license plate area displays the word "EUROPART". The background is a cloudy sky.

The VIN number will be found on the vehicle type plate which is located on the door frame, it is also stamped into the vehicle chassis near the front right-hand wheel.

Overview of vehicle models

Model	Chassis classes	Model year
164	C/G/L	1995-2004
144	C/G/L	1995-2004
124	C/G/L	1995-2004
114	C/G/L	1995-2004
94	C/D/G/L	1995-2004

C = Vehicles for construction site transport
D = Vehicles for distribution/local transport
G = Vehicles for heavy long-distance transport, heavy loads, heavy construction site transport
L = Vehicles for long-distance transport

Example:

R 12 4 L A 4x2 N B 530

R = Cab type (R = high forward-control cab)

12 = Cylinder capacity in litres

4 = Development stage/series

L = Chassis class (L = vehicle for long-distance transport)

A = Chassis adaptation (A = tractor unit)

4x2 = Axle configuration (4x2 = 2-axles with 1 drive axle)

N = Chassis height (N = normal)

B = Suspension (B = front and rear air suspension)

530 = Engine performance in PS

CR= high forward-control cab, CP = low forward-control cab, CT = bonneted cab

Cab type	Cab version
CR14	Short
CR19	Long
CR19L	Long, flat
CR19T	Long, Topline roof
CP14	Short
CP19	Long
CP19L	Long, flat
CP28	Twin cab
CP31	Twin cab, long

* Insofar as brand names of vehicle manufacturers are used in the catalogue, they are to be understood as designation information. The brand names indicate that the corresponding items are suitable for the named vehicle. The cross-reference numbers given on the pages of the catalogue serve for the purposes of identification.


Model series R, G, P, T

Overview of vehicle models

Model	Application range	Model year
R	Long-distance transport, heavy construction site transport	2004-
G	National long-distance transport, heavy distribution and construction site transport	2007-
P	Distribution and construction site transport, special vehicles (disposal, emergency vehicles)	2004-
T	Bonneted vehicles (long-distance, construction site and local transport)	2004-2005

Vehicle model designation

Example:



Cab variants

CR = high forward-control cab, CG = medium forward-control cab, CP = low forward-control cab, CT = bonneted cab

Cab type	Cab version
CR16N	Medium-long
CR19L	Long with flat roof
CR19N	Long
CR19H	Long, Highline roof
CR19T	Long, Topline roof
CG14N	Short
CG16N	Medium-long
CG19L	Long with flat roof
CG19N	Long
CG19H	Long, Highline roof
CP14N	Short
CP16N	Medium-long
CP19L	Long with flat roof
CP19N	Long
CP19H	Long, Highline roof
CP19E	Low-entry cab
CP28	Twin cab
CP31	Twin cab, long
CT14	Short
CT19	Long
CT19T	Long, Topline roof

Xenon headlamp

Bulb type D2R/H7/T4W
Voltage 24 V

Application range

For vehicles without headlight levelling

Scope of supply

Without actuator for headlamp levelling, without ballast

Suitable for	Installation side	Order no
R, G, P, T	Left	9501 760 551
R, G, P, T	Right	9500 760 554



H4 main headlamp

Version with dipped beam, indicator, high beam and position light
Bulb type H4/P21W/R5W
Voltage 24 V

Application range

For vehicles with headlight levelling (electric)


Left-hand drive

Cannot be sold in the following countries: BR, FR

Suitable for	Installation side	Order no	Comparative no
R, G, P, T	left	0007 150 091	HELLA 1EG 007 150-091
R, G, P, T	right	0007 150 101	HELLA 1EG 007 150-101

Accessories

Description	Fig.	Order no	Comparative no
H4 reflector, left	1	0145 675 011	HELLA 9DE 145 675-011
H4 reflector, right	1	0145 676 011	HELLA 9DE 145 676-011
Side light/indicator lens, left	2	0144 433 021	HELLA 9ES 144 433-021
Side light/indicator lens, right	2	0144 434 021	HELLA 9ES 144 434-021





H4 main headlamp

Version with indicator, high beam and side light
 Bulb type H4/R10W/P21W
 Voltage 24 V

Application range

For vehicles with headlight levelling (electric)

Right-hand drive

Cannot be sold in the following countries: BR, FR

Suitable for	Installation side	Order no	Comparative no
R, G, P, T	left	0007 150 111	HELLA 1LG 007 150-111
R, G, P, T	right	0007 150 121	HELLA 1LG 007 150-121

Accessories

Description	Fig.	Order no	Comparative no
H4 reflector, left	1	0145 675 011	HELLA 9DE 145 675-011
H4 reflector, right	1	0145 676 011	HELLA 9DE 145 676-011
Side light/indicator lens, left	2	0144 433 031	HELLA 9ES 144 433-031
Side light/indicator lens, right	2	0144 434 031	HELLA 9ES 144 434-031

Headlight frame

Suitable for	Installation side	Order no
R, G, P, T	left	8000 012 696
R, G, P, T	right	8000 012 708

H4 main headlamp

Version with dipped beam, high beam and position light
 Voltage 24 V
 Bulb type H4/R10W


Application range

For vehicles with headlight range adjustment (electric)

Scope of supply

Without setting motor for headlight levelling

Suitable for	Installation side	Order no
R, G, P, T	left	5532 771 110
R, G, P, T	right	5532 771 111



H1 fog light

Voltage 24 V
Fastening for 3 screws
Type flush-mounting

Suitable for	Installation side	Order no
R, G, P, T	left	1341 014 022
R, G, P, T	right	1341 014 020

Accessories

Description	Order no
Bracket, left	6171 232 100
Bracket, right	6171 232 110



H1 spotlight

Voltage 24 V
Fastening for 3 screws
Type flush-mounting

Suitable for	Installation side	Order no
R, G, P, T	left	1341 014 012
R, G, P, T	right	1341 014 010

Accessories

Description	Order no
Bracket, left	6171 232 100
Bracket, right	6171 232 110



H3 spotlight

Installation side left/right
Voltage 12/24 V
Type surface-mounting, suspended/upright

Suitable for	Order no	Comparative no
R, G, P, T	0006 300 191	HELLA 1FE 006 300-191






Ballast for Bi-Xenon headlamps

Voltage 24 V

Suitable for	Order no	Comparative no
R, G, P, T	0007 810 171	HELLA 5DV 007 810-171



Indicator light

Bulb type P21W
Type flush-mounting
Colour yellow/clear

Scope of supply
Without bulb holder

Suitable for	Installation side	Order no	Comparative no
R, G, P, T	left	8000 003 559	HELLA 9EL 145 103-011
R, G, P, T	right	0145 104 011	HELLA 9EL 145 104-011



Indicator light

Installation side left/right
Bulb type P21W
Colour yellow
Type surface-mounting

Scope of supply
Without bulb holder

Suitable for	Order no
R, G, P, T	8000 121 052



Indicator light

Installation side left/right
Bulb type P21W
Colour yellow
Type surface-mounting

Scope of supply
Without bulb holder

Suitable for	Order no
R, G, P, T	8001 770 301



LED end-outline marker lamp

Connection plug back of housing

Installation location	front, sun visor
Installation side	left/right
Voltage	24 V
Length	181 mm
Width	43 mm
Height	30 mm
Colour	clear
Type	surface-mounting

Scope of supply

With bulb holder

Suitable for	Order no
R, G, P, T	8001 798 982



End-outline marker lamp

Installation location	front, sun visor
Installation side	left/right
Voltage	24 V
Colour	clear

Scope of supply

Without bulb holder

Suitable for	Order no
R, G, P, T	8000 012 725



LED side marker light

Version	with reflector
Installation side	left/right
Voltage	24 V
Cable length	500 mm
Width	104 mm
Height	54 mm
Depth	33,5 mm
Colour	yellow
Type	flush-mounting, horizontal

approved for vehicles in accordance with GGVS/ADR

Suitable for	Order no	Comparative no
R, G, P	0007 972 011	HELLA 2PS 007 972-017



LED side marker light

Version	with reflector
Installation side	left/right
Voltage	24 V
Width	103 mm
Height	55 mm
Depth	15 mm
Colour	yellow

Suitable for	Order no
R, G, P, T	9196 150 300





Rear light

Bulb type	P21W/PY21W/R5W
Voltage	24 V
Connection	AMP 1.5, lateral
Fastening	2 x M8
Width	400 mm
Height	160 mm
Depth	89 mm
Pin spacing	152 mm
Colour	red/clear

approved for vehicles in accordance with GGVS/ADR



Suitable for	Version	Installation side	Order no	Comparative no
R, G, P (01/2007-)	indicator, stop, clearance, licence plate, rear fog, tail, reversing and side marker light, with reflector	left	3900 015 601	Vignal 156770
R, G, P (01/2007-)	with indicator, stop, clearance, rear fog, tail, reversing and side marker light, reflector	right	3900 015 602	Vignal 156780
R, G, P (01/2007-)	with reversing and side marker light, with reflector, with reversing alarm	right	3900 015 603	Vignal 156790

Accessories

Description	Order no	Comparative no
Lens, left	6210 565 400	Vignal 056540
Lens, right	6210 565 500	Vignal 056550
Reversing alarm, AMP 1.5	3900 001 830	Vignal 001830



Rear light

Version	with indicator, stop, tail, rear fog, reversing, clearance, side marker and licence plate light, with reflector
Bulb type	P21W/R5W/R10W
Voltage	12/24 V
Connection	cable grommet
Fastening	2 x M8
Width	510 mm
Height	136 mm
Depth	84 mm
Pin spacing	152 mm
Type	surface-mounting, horizontal
Colour	red/yellow

approved for vehicles in accordance with GGVS/ADR



Suitable for	Installation side	Order no	Comparative no
P, G, R, T (09/2004-09/2006)	left	0008 205 011	HELLA 2VD 008 205-011
P, G, R, T (09/2004-09/2006)	right	0008 205 021	HELLA 2VD 008 205-021

Accessories

Description	Order no	Comparative no
Lens	0152 884 001	HELLA 9EL 152 884-001

Rear light

Version	with indicator, stop, rear fog, reversing, side marker and clearance light, with reflector on side
Width	515 mm
Height	130 mm
Depth	80 mm
Pin spacing	152 mm
Colour	red/clear/yellow

approved for vehicles according to the European regulations on the transport of hazardous materials by road (GGVS / ADR)

Suitable for	Installation side	Order no
R, G, P, T	left	6170 121 441
R, G, P, T	right	6170 121 442

Accessories

Description	Order no
Lens	9198 100 680



Numberplate lamp

Version	screwed on	Fastening	2 holes, Ø 4,5 mm
Installation location	overhead/above the licence plate	Width	102 mm
Installation side	left/right	Height	55 mm
Bulb type	R10W	Depth	56,5 mm
Socket	BA15s/R10W	Colour	clear
Voltage	12/24 V	Type	surface-mounting

approved for vehicles in accordance with GGVS/ADR

Suitable for	Order no	Comparative no
R, G, P	0003 389 061	HELLA 2KA 003 389-061

Accessories

Description	Order no	Comparative no
Housing with lens and screw	0121 587 031	HELLA 9BG 121 587-031




LED working light rail

Voltage	12-34 V
Power consumption	95 W
Height	72 mm
Depth	53,5 mm

Scope of supply
With mounting set

Suitable for	Width	Fig.	Order no
R	805 mm	1	1007 809 206
R	1059 mm	2	1007 809 207

Wind deflector to fit Scania R Streamline (2013-)



Description	Fig.	Order no	Comparative no
Right	1	9192 055 972	Scania 2055972
Left	2	9192 055 973	Scania 2055973




Body parts to fit Scania R (2009-)

Description	Fig.	Order no	Comparative no
Front grille insert, top	1	9191 870 592	Scania 1870592
Front grille insert, centre	2	9191 870 593	Scania 1870593
Front grille insert, bottom	3	9191 870 594	Scania 1870594
Front grille insert, right	4	9191 870 596	Scania 1870596
Front grille insert, left	5	9191 870 595	Scania 1870595
Front grille insert, lower front grille, top	6	9190 870 598	Scania 1870598
Front grille insert, lower front grille, centre	7	9191 870 597	Scania 1870597
Front grille insert, Lower front grille, bottom	8	9190 870 599	Scania 1870599
Front grille, centre	9	9190 872 160	Scania 1872160
Front grille insert	10	9191 890 176	Scania 1890176
Front grille insert, for upper front grille	11	9191 875 846	Scania 1875846
Front grille insert, for lower front grille	12	9191 875 847	Scania 1875847
Front grille, bottom	13	9191 885 932	Scania 1871667
Protective grille, lower front grille, top	14	9191 930 805	Scania 1930805
Protective grille, lower front grille, top	15	9191 930 806	Scania 1930806




Body parts to fit Scania R (2009-)

Description	Fig.	Order no	Comparative no
Impact corner, Right, low cab	1	9191 923 743	Scania 1923743
Bumper, centre	2	9190 865 178	Scania 2126392
Impact corner, left, low cab	3	9191 923 742	Scania 1923742
Impact corner, for bumpers, right, high cab	4	9191 926 448	Scania 1926448
Impact corner, for bumpers, left, high cab	5	9191 865 182	Scania 1865182
Impact corner, for bumpers, right, high cab	6	9190 884 915	Scania 1884915
Impact corner, for bumpers, left, high cab	7	9190 884 914	Scania 1884914
Impact corner, for bumpers, right, low cab	8	9190 923 745	Scania 1923745
Impact corner, for bumpers, left, low cab	9	9190 923 744	Scania 1923744



Body parts to fit Scania R, G (2009-)

Description	Fig.	Order no	Comparative no
Front grille insert, top	1	9191 930 792	Scania 1930792
Front grille insert, centre	2	9191 930 793	Scania 1930793
Front grille insert, bottom	3	9191 930 794	Scania 1930794
Front trim, top	4	9190 872 158	Scania 1872158
Front trim, centre	5	9190 872 159	Scania 1872159
Protective grille, for centre front grille	6	9191 930 799	Scania 1930799
Wind deflector, right	7	9191 856 476	Scania 1856476
Wind deflector, left	8	9191 856 477	Scania 1856477
Front grille, bottom	9	9190 885 932	Scania 1885932
Protective grille, lower front grille, top	10	9191 930 811	Scania 1930811
Protective grille, lower front grille, bottom	11	9191 930 812	Scania 1930812



Step-up to fit Scania R (2009-)

Description	Fig.	Order no	Comparative no
for cab entry step, left, top	1	9190 779 113	Scania 1779113
for cab entry step, right, top	2	9190 779 114	Scania 1779114



Wing bracket to fit Scania R (2009-)

Description	Fig.	Order no	Comparative no
Rear axle, front, right	1	9192 054 584	Scania 2054584
Rear axle, front, left	2	9192 054 583	Scania 2054583
Rear axle, front, right	3	9192 054 586	Scania 2054586
Rear axle, front, left	4	9192 054 585	Scania 2054585
Rear axle, rear, left	5	9192 054 589	Scania 2054589
Rear axle, rear, right	6	9192 054 590	Scania 2054590
Rear axle, front, right	7	6170 122 761	Scania 1725676
Rear axle, front, left	8	6170 122 760	Scania 1725675
Rear axle, front, left	9	9191 457 919	Scania 1457919
Rear axle, front, right	10	9191 457 920	Scania 1457920
Rear axle, front, left	11	8001 721 891	Scania 1721891
Rear axle, front, right	12	8001 721 892	Scania 1721892
Rear axle, rear, left	13	8001 721 893	Scania 1721893
Rear axle, rear, right	14	8001 721 894	Scania 1721894




Body parts to fit Scania R (2004-)

Description	Fig.	Order no	Comparative no
Front grille insert, for bottom front grille, top	1	8256 000 207	Scania 1459141
Front grille insert, for bottom front grille, bottom	2	8256 000 208	Scania 1459142
Front grille insert, for top front grille, front, top, right	4	8000 433 062	Scania 1466032
Front grille insert, for top front grille, front, top, left	3	8000 466 031	Scania 1466031
Front grille insert, for top front grille, centre	5	8256 000 194	Scania 1459133
Front grille insert, for top front grille, bottom	6	8256 000 196	Scania 1459135
Front grille insert, for top front grille, top	7	8256 000 195	Scania 1459134
Front grille insert, centre	8	8256 000 205	Scania 1459145
Air deflector, for A-pillar, left, front	9	1325 123 222	Scania 1856474
Air deflector, for A-pillar, front, right	10	1325 123 223	Scania 1856475
Bumper bracket, front	11	9190 211 095	Scania 1422843
Front grille insert, centre	12	8001 459 146	Scania 1459146
Front grille insert, for upper front grille, right	13	1325 123 167	Scania 1466035
Front grille insert, for top front grille, left	14	1325 123 166	Scania 1466034
Air deflector, for A-pillar, right	15	8000 496 294	Scania 1496294
Air deflector, for A-pillar, left	16	8000 496 293	Scania 1496293



Body parts to fit Scania R (2004-)

Description	Fig.	Order no	Comparative no
Impact corner, right	1	9191 853 165	Scania 1853165
Bumper, centre	2	9191 548 053	Scania 1548053
Impact corner, left	3	9191 853 164	Scania 1853164



Body parts to fit Scania R (2004-)

Description	Installation side	Fig.	Order no	Comparative no
Entry	left	1	1325 123 233	Scania 1854227
Entry	right	2	8001 498 180	Scania 1854228
Bracket	left	3	8000 426 109	Scania 1426109
Bracket	right	4	5831 426 110	Scania 1426110
Step-up	left	5	8001 535 040	Scania 1535040
Step-up	right	6	8001 535 039	Scania 1535039

Front mirror

Width 440 mm
Depth 375 mm

Suitable for	Order no	Comparative no
R, G, P, T	6031 484 076	Scania 1484076

Accessories

Description	Order no	Comparative no
Bracket	1325 084 079	Scania 1484079



Glass unit for main mirror

Version heated with PTC
Installation side left/right
Voltage 24 V
Width 200 mm
Height 432 mm
Depth 20 mm

Application range

Left/right-hand drive

Suitable for	Curve radius	Order no	Comparative no
R, G, P, T	1200 mm	9111 036 857	Mekra 15.4001.840H
R, G, P, T	1800 mm	9111 540 022	Mekra 15.4002.110H



Glass unit for wide angle mirror

Version heated
Installation side left/right
Voltage 24 V
Width 160 mm
Height 184 mm
Depth 20 mm
Curve radius 300 mm

Suitable for	Order no	Comparative no
R, G, P, T	9114 001 740	Mekra 15.4001.740H



Ramp mirror

Width 214 mm
Height 326 mm
Depth 202 mm

Suitable for	Order no	Comparative no
R, G, P	9342 382 791	Mekra 59.1005.003.099





Ramp mirror

Version	manual adjustment, unheated
Installation side	right
Width	187 mm
Height	319 mm
Depth	75 mm
Curve radius	300 mm
Test mark	V/VI e1 03*0033

mirror complies with ordinance 2003/97/EU or 2007/38/EU

Suitable for	Order no	Comparative no
R, G, P, T	9115 520 030	Mekra 59.5520.030H

Accessories

Description	Order no	Comparative no
Mirror glass	9110 000 028	Mekra 40.1561.105H





Xenon headlamp

Bulb type D2R/H7/T4W
Voltage 24 V

Application range

For vehicles without headlight levelling

Scope of supply

Without actuator for headlamp levelling, without ballast

Suitable for	Installation side	Order no
164, 144, 124, 114, 94	Left	9501 760 551
164, 144, 124, 114, 94	Right	9500 760 554



H4 main headlamp

Version with dipped beam, indicator, high beam and position light
Bulb type H4/P21W/R5W
Voltage 24 V

Application range

For vehicles with headlight levelling (electric)

Left-hand drive

Cannot be sold in the following countries: BR, FR

Suitable for	Installation side	Order no	Comparative no
164, 144, 124, 114, 94	left	0007 150 091	HELLA 1EG 007 150-091
164, 144, 124, 114, 94	right	0007 150 101	HELLA 1EG 007 150-101

Accessories

Description	Order no	Comparative no
H4 reflector, left	0145 675 011	HELLA 9DE 145 675-011
H4 reflector, right	0145 676 011	HELLA 9DE 145 676-011
Side light/indicator lens, left	0144 433 021	HELLA 9ES 144 433-021
Side light/indicator lens, right	0144 434 021	HELLA 9ES 144 434-021



H4 main headlamp

Version with indicator, high beam and side light
Bulb type H4/R10W/P21W
Voltage 24 V

Application range

For vehicles with headlight levelling (electric)



Right-hand drive

Cannot be sold in the following countries: BR, FR

Suitable for	Installation side	Order no	Comparative no
164, 144, 124, 114, 94	left	0007 150 111	HELLA 1LG 007 150-111
164, 144, 124, 114, 94	right	0007 150 121	HELLA 1LG 007 150-121

Accessories

Description	Order no	Comparative no
H4 reflector, left	0145 675 011	HELLA 9DE 145 675-011
H4 reflector, right	0145 676 011	HELLA 9DE 145 676-011
Side light/indicator lens, left	0144 433 031	HELLA 9ES 144 433-031
Side light/indicator lens, right	0144 434 031	HELLA 9ES 144 434-031



Headlight frame

Suitable for	Installation side	Order no
164, 144, 124, 114, 94	left	8000 012 696
164, 144, 124, 114, 94	right	8000 012 708



H4 main headlamp

Version with dipped beam, high beam and position light
 Bulb type H4/R10W
 Voltage 24 V

Application range

For vehicles with headlight range adjustment (electric)

Scope of supply

Without setting motor for headlight levelling

Suitable for	Installation side	Order no
164, 144, 124, 114, 94	left	5532 771 110
164, 144, 124, 114, 94	right	5532 771 111



H1 fog light

Version with high beam
 Installation location front
 Bulb type H1/H7
 Voltage 24 V
 Fastening 4-hole
 Type flush-mounting

Suitable for	Installation side	Order no
164, 144, 124, 114, 94	left	8000 121 480
164, 144, 124, 114, 94	right	8000 121 481



H3 spotlight

Installation side left/right
 Voltage 12/24 V
 Type surface-mounting, suspended/upright

Suitable for	Order no	Comparative no
164, 144, 124, 114, 94	0006 300 191	HELLA 1FE 006 300-191





Ballast for Bi-Xenon headlamps

Voltage 24 V

Suitable for	Order no	Comparative no
164, 144, 124, 114, 94	0007 810 171	HELLA 5DV 007 810-171



Indicator light

Bulb type P21W
Colour yellow/clear
Type flush-mounting

Scope of supply
Without bulb holder

Suitable for	Installation side	Order no	Comparative no
164, 144, 124, 114, 94	left	8000 003 559	HELLA 9EL 145 103-011
164, 144, 124, 114, 94	right	0145 104 011	HELLA 9EL 145 104-011



End-outline marker lamp

Installation location front, sun visor
Installation side left/right
Voltage 24 V
Colour clear

Scope of supply
Without bulb holder

Suitable for	Order no
164, 144, 124, 114, 94	8000 012 725



LED side marker light

Version with reflector
Installation side left/right
Voltage 24 V
Cable length 500 mm
Width 104 mm
Height 54 mm
Depth 33,5 mm
Colour yellow
Type flush-mounting, horizontal

approved for vehicles in accordance with GGVS/ADR

Suitable for	Order no	Comparative no
164, 144, 124, 114, 94	0007 972 011	HELLA 2PS 007 972-017





Rear light

Bulb type	P21W/PY21W/R5W
Voltage	24 V
Connection	AMP 1.5, lateral
Fastening	2 x M8
Width	400 mm
Height	160 mm
Depth	89 mm
Pin spacing	152 mm
Colour	red/clear

approved for vehicles in accordance with GGVS/ADR

Suitable for	Version	Installation side	Order no	Comparative no
164, 124, 114, 94 (01/2007-)	indicator, stop, clearance, licence plate, rear fog, tail, reversing and side marker light, with reflector	left	3900 015 601	Vignal 156770
164, 124, 114, 94 (01/2007-)	with indicator, stop, clearance, rear fog, tail, reversing and side marker light, reflector	right	3900 015 602	Vignal 156780
164, 124, 114, 94 (01/2007-)	with reversing and side marker light, with reflector, with reversing alarm	right	3900 015 603	Vignal 156790

Accessories

Description	Order no	Comparative no
Lens, left	6210 565 400	Vignal 056540
Lens, right	6210 565 500	Vignal 056550
Reversing alarm, AMP 1.5	3900 001 830	Vignal 001830



Rear light

Version	with indicator, stop, tail, rear fog, reversing, clearance, side marker and licence plate light, with reflector
Bulb type	P21W/R5W/R10W
Voltage	12/24 V
Connection	cable grommet
Fastening	2 x M8
Width	510 mm
Height	136 mm
Depth	84 mm
Pin spacing	152 mm
Colour	red/yellow
Type	surface-mounting, horizontal

approved for vehicles in accordance with GGVS/ADR

Suitable for	Installation side	Order no	Comparative no
164, 144, 124, 114, 94	left	0008 205 011	HELLA 2VD 008 205-011
164, 144, 124, 114, 94	right	0008 205 021	HELLA 2VD 008 205-021

Accessories

Description	Order no	Comparative no
Lens	0152 884 001	HELLA 9EL 152 884-001





Rear light

Version with indicator, stop, rear fog, reversing, side marker and clearance light, with reflector on side
Width 515 mm
Height 130 mm
Depth 80 mm
Pin spacing 152 mm
Colour red/clear/yellow

approved for vehicles according to the European regulations on the transport of hazardous materials by road (GGVS / ADR)

Suitable for	Installation side	Order no
164, 144, 124, 114, 94	left	6170 121 441
164, 144, 124, 114, 94	right	6170 121 442


Accessories

Description	Order no
Lens	9198 100 680

Rear light

Bulb type P21W, R10W
Voltage 24 V
Connection cable grommet
Width 340 mm
Height 130 mm
Depth 86 mm
Pin spacing 152 mm
Colour yellow/red/clear

approved for vehicles in accordance with GGVS/ADR



Suitable for	Version	Installation side	Order no
164, 124, 114, 94	with indicator, stop, licence plate, reversing and side marker light	left	7823 466 082
164, 124, 114, 94	with indicator, stop, reversing and side marker light	right	7823 466 072

Accessories

Description	Order no
Lens	9199 820 809



Numberplate lamp

Version	screwed on
Installation location	overhead/above the licence plate
Installation side	left/right
Bulb type	R10W
Socket	BA15s/R10W
Voltage	12/24 V
Fastening	2 holes, Ø 4,5 mm
Width	102 mm
Height	55 mm
Depth	56,5 mm
Colour	clear
Type	surface-mounting


approved for vehicles in accordance with GGVS/ADR

Suitable for	Order no	Comparative no
164, 144, 124, 94	0003 389 061	HELLA 2KA 003 389-061

Accessories


Description	Order no	Comparative no
Housing with lens and screw	0121 587 031	HELLA 9BG 121 587-031





Body parts to fit Scania 4 series CP (1995-2004)

Description	Fig.	Order no	Comparative no
Front grille, top	1	8000 397 571	Scania 1397571
Front grille insert, top	2	8000 012 833	Scania 1401931
Corner plate, left	3	8000 012 810	Scania 1370107
Corner plate, right	4	8000 012 811	Scania 1370108
Front grille insert, bottom	5	8000 012 832	Scania 1371754
Bumper, front	6	8000 004 930	Scania 1376832
Air deflector, left	7	8000 012 809	Scania 1386959
Air deflector, right	8	8000 012 795	Scania 1386960



Entry/step-up to fit Scania 4 series CP (1995-2004)


Description	Fig.	Order no	Comparative no
Entry box, right	1	9190 015 170	Scania 1515194
Entry box, left	2	9190 015 171	Scania 1515195
Step-up, left/right, top	3	8000 012 692	Scania 1351203
Step-up, left/right, bottom	4	8000 300 015	Scania 1390076



Body parts

to fit Scania 4 series CR (1995-2004)


Description	Fig.	Order no	Comparative no
Front grille insert, top	1	8000 401 929	Scania 1401929
Front grille insert, centre	2	8000 371 757	Scania 1371757
Front grille insert, bottom	3	8000 371 758	Scania 1371758
Front grille insert, centre	4	8000 012 831	Scania 1366243
Bumper bracket	5	6170 138 917	Scania 1395871
Corner plate, left	6	8000 382 727	Scania 1382727
Corner plate, right	7	8000 382 728	Scania 1382728
Air deflector, left	8	8000 381 565	Scania 1381565
Air deflector, right	9	8000 381 566	Scania 1381566



Door handle/step-up

to fit Scania 4 series CR/CP

Description	Fig.	Order no	Comparative no
Door handle, left	1	8000 012 639	Scania 1423017
Door handle, right	2	8000 012 640	Scania 1423018
Step-up, left/right, long	3	9191 425 051	Scania 1425051
Step-up, left/right, short	4	9191 425 052	Scania 1425052
Step-up, left	5	1325 122 508	Scania 1535035
Step-up, right	6	1325 122 509	Scania 1535036




Wing bracket to fit Scania 4 series CR/CP

Description	Fig.	Order no	Comparative no
Rear axle, front, right	1	6170 122 761	Scania 1725676
Rear axle, front, left	2	6170 122 760	Scania 1725675
Rear axle, rear, left	3	3510 718 530	Scania 1732855
Rear axle, rear, right	4	3510 718 540	Scania 1732856
Rear axle, rear, left	5	8001 721 893	Scania 1721893
Rear axle, rear, right	6	8001 721 894	Scania 1721894
Rear axle, front, right	7	8001 721 892	Scania 1721892
Rear axle, front, left	8	8001 721 891	Scania 1721891
Rear axle, rear, left	9	8000 212 045	Scania 1457888
Rear axle, rear, right	10	8000 212 044	Scania 1457887
Rear axle, rear, left	11	9190 015 174	Scania 1725671
Rear axle, rear, right	12	9190 015 175	Scania 1725672

Wing bracket

Installation location front axle, front
Installation side left/right

Suitable for	Order no	Comparative no
164, 144, 124, 114, 94	8000 212 035	Scania 1398873



Tightening strap rubber for rear wing mounting

Suitable for	Order no	Comparative no
164, 144, 124, 114, 94	8000 003 457	Scania 1383858



Front mirror

Width 440 mm
Depth 375 mm

Suitable for	Order no	Comparative no
124	6031 484 076	Scania 1484076



Glass unit for main mirror

Version heated with PTC
Installation side left/right
Voltage 24 V
Width 200 mm
Height 432 mm
Depth 20 mm

Suitable for	Curve radius	Order no	Comparative no
164, 144, 124, 114, 94	1200 mm	9111 036 857	Mekra 15.4001.840H
164, 124, 114, 94	1800 mm	9111 540 022	Mekra 15.4002.110H



Glass unit for wide angle mirror

Version heated
Installation side left/right
Voltage 24 V
Width 160 mm
Height 184 mm
Depth 20 mm
Curve radius 300 mm

Suitable for	Order no	Comparative no
164, 144, 124, 114, 94	9114 001 740	Mekra 15.4001.740H



Ramp mirror

Version manual adjustment, unheated
Installation side right
Width 187 mm
Height 319 mm
Depth 75 mm
Curve radius 300 mm
Test mark V/VI e1 03*0033

mirror complies with ordinance 2003/97/EU or 2007/38/EU

Suitable for	Order no	Comparative no
164, 144, 124, 114	9115 520 030	Mekra 59.5520.030H





Looking for solutions? Come to us for expert advice.

First-class advice: Expert service in every area

Our staff are continuously **trained in specific products and specialist areas**, so that you can always rely on expert advice of the highest level. This ensures a **first-class all-round service**, providing a **professional solution** for you in all situations.

We also keep in constant **contact with our suppliers** and manufacturers, so you can be sure that even for complex products **no problem goes unsolved** and no request is ignored.

EUROPART – international partner for the workshop

300 locations in 28 countries

Find your nearest EUROPART sales outlet on the Internet at: **www.europart.net**

